

HUGE X

2026 SHOTGUN CATALOG





ABOUT US

In the mid-1960s, our company, which took its first steps in the sector in a small house workshop in Huęlu, was founded by our honorary chairman OZDEM MERT, who had been manufacturing shotguns for nearly 30 years. In 1996, with Huęlu's centuries-old knowledge and a contemporary understanding of quality control, he established Bųyųk Huęlu Av Malz. San. ve Tic. Ltd. Őti.

Our company, which entered production with Semi Automatic Shotguns, has successively added Pump Action Shotguns, Single Barrel Shotguns, Over&Under Shotguns, Over&Under Trap Sporting Shotguns, and Side by Side Shotguns to its product range. Today, it has reached the peak with the production of Steel Frame Pistols in the Defense Industry. Operating in a total area of 15,000 square meters, including 9,000 square meters of closed area, our company continues its research and development activities in the field of Defense Industry, and exports Rifles and Machine Pistols to approximately 30 countries, primarily to the United States of America.



INDEX

HX100 DT PRO DLX PLUS	1
HX100 US PRO DLX PLUS	2
HX100 T PRO DLX PLUS	3
HX100 DT PRO RP BLACK	4
HX100 DT PRO RP SILVER	5
HX100 US PRO RP BLACK	6
HX100 US PRO RP SILVER	7
HX100 TS PRO RP BLACK	8
HX100 TS PRO RP SILVER	9
HX100 MT PRO RP SILVER	10
HX100 T PRO BLACK	11
HX100 T PRO SILVER	12
HX100 S PRO RP BLACK	13
HX100 T PRO RP SILVER	14
HX100 S PRO BLACK	15
HX100 S PRO SILVER	16
HX100 PREMIUM	17
HX100 F12	18
HX200 F12 SL	19
HX200 F12 CC	20
HX230 F12	21
HX500 L41W20	22 - 23



HX100 DT PRO DLX PLUS

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	REMOVEABLE TRIGGER	STOCK	TURKISH WALNUT WITH SKELETON STOCK
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3,900-4,100 kg - 8.6-9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	119,4 CM WITH 76 CM BARREL - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 US PRO DLX PLUS

FEATURES

GAUGE	12
CHAMBER	70 mm - 2 3/4"
TRIGGER TYPE	REMOVEABLE TRIGGER
BARREL LENGTH	76-81-86 cm - 30-32-34"
SAFETY	MANUAL
UNLOADING	EJECTOR
RECEIVER	MONOBLOCK - FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

TOP RIB	ADJUSTABLE 10 MM
STOCK	TURKISH WALNUT WITH SKELETON STOCK
CHOKES	MC-3 EXT
RECEIVER FINISH	BLACK CHROME
WEIGHT	3,750-3,950 kg - 8.3-8.7 lb
OVERALL LENGTH	119,4 CM WITH 76 CM BARREL - 30" BARREL



HX100 T PRO DLX PLUS

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	REMOVEABLE TRIGGER	STOCK	TURKISH WALNUT WITH SKELETON STOCK
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3,800-4,000 kg - 8.4-8.8 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	120 cm - 47.25" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 DT PRO RP BLACK

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB & ADJUSTABLE RECOIL PAD
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	BLACK CHROME
UNLOADING	EJECTOR	WEIGHT	3,900-4,100 kg - 8.6-9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	120.2 cm - 47.32" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 DT PRO RP SILVER

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB & ADJUSTABLE RECOIL PAD
BARREL LENGTH	76-81-86 cm - 30-32-34"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3,900-4,100 kg - 8.6-9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	120.2 cm - 47.32" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 US PRO RP BLACK

FEATURES

GAUGE	12
CHAMBER	70 mm – 2 3/4"
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER
BARREL LENGTH	76-81-86 cm – 30-32-34"
SAFETY	MANUAL
UNLOADING	EJECTOR
RECEIVER	MONOBLOCK – FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

TOP RIB	ADJUSTABLE 10 MM
STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
CHOKES	MC-5 EXT
RECEIVER FINISH	BLACK CHROME
WEIGHT	3.500-3.700 kg – 7.75-8.15 lb
OVERALL LENGTH	120.2 cm – 47.32" WITH 76 CM – 30" BARREL



HX100 US PRO RP SILVER

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	CHOKES	MC-5 EXT
BARREL LENGTH	76-81-86 cm - 30-32-34"	RECEIVER FINISH	NICKEL PLATED
SAFETY	MANUAL	WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
UNLOADING	EJECTOR	OVERALL LENGTH	120.2 cm - 47.32" WITH 76 CM - 30" BARREL
RECEIVER	MONOBLOCK - FORGED STEEL		
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 TS PRO RP BLACK

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	CHOKES	MC-5 EXT
BARREL LENGTH	76-81-86 cm - 30-32-34"	RECEIVER FINISH	BLACK CHROME
SAFETY	MANUAL	WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
UNLOADING	EJECTOR	OVERALL LENGTH	122.1 cm - 48" WITH 76 CM - 30" BARREL
RECEIVER	MONOBLOCK - FORGED STEEL		
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 TS PRO RP SILVER

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 10 MM
CHAMBER	70 mm - 2 3/4"	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	CHOKES	MC-5 EXT
BARREL LENGTH	76-81-86 cm - 30-32-34"	RECEIVER FINISH	NICKEL PLATED
SAFETY	MANUAL	WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
UNLOADING	EJECTOR	OVERALL LENGTH	122.1 cm - 48" WITH 76 CM - 30" BARREL
RECEIVER	MONOBLOCK - FORGED STEEL		
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 MT PRO RP SILVER

FEATURES

GAUGE	12	TOP RIB	10*7 MM CONICAL
CHAMBER	70 mm – 2 3/4"	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB & ADJUSTABLE RECOIL PAD
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	CHOKES	MC-5 EXT
BARREL LENGTH	76-81-86 cm - 30-32-34"	RECEIVER FINISH	NICKEL PLATED
SAFETY	MANUAL	WEIGHT	3,750-3,950 kg - 8.3-8.7 lb
UNLOADING	EJECTOR	OVERALL LENGTH	119.5 cm – 47" WITH 76 CM – 30" BARREL
RECEIVER	MONOBLOCK – FORGED STEEL		
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 T PRO BLACK

FEATURES

GAUGE	12	TOP RIB	10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	BLACK CHROME
UNLOADING	EJECTOR	WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	121.7 cm - 48" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 T PRO SILVER

FEATURES

GAUGE	12	TOP RIB	10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	121.7 cm - 48" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 S PRO RP BLACK

FEATURES

GAUGE	12	TOP RIB	10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3.400-3.600 kg - 7.5-7.9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	121.7 cm - 48" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 T PRO RP SILVER

FEATURES

GAUGE	12
CHAMBER	70 mm - 2 3/4"
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER
BARREL LENGTH	76-81 cm - 30-32"
SAFETY	MANUAL
UNLOADING	EJECTOR
RECEIVER	MONOBLOCK - FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

TOP RIB	10 MM
SIDE RIB	VENTILATED
STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
CHOKES	MC-5 EXT
RECEIVER FINISH	NICKEL PLATED
WEIGHT	3.500-3.700 kg - 7.75-8.15 lb
OVERALL LENGTH	121.7 cm - 48" WITH 76 CM - 30" BARREL



HX100 S PRO BLACK

FEATURES

GAUGE	12	TOP RIB	10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	BLACK CHROME
UNLOADING	EJECTOR	WEIGHT	3.400-3.600 kg - 7.5-7.9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	122.1 cm - 48" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 S PRO SILVER

FEATURES

GAUGE	12	TOP RIB	10 MM
CHAMBER	70 mm - 2 3/4"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER	STOCK	TURKISH WALNUT W/ADJUSTABLE COMB
BARREL LENGTH	76-81 cm - 30-32"	CHOKES	MC-5 EXT
SAFETY	MANUAL	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3.400-3.600 kg - 7.5-7.9 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	122.1 cm - 48" WITH 76 CM - 30" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL		



HX100 F12 PREMIUM

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 7 MM
CHAMBER	76 mm - 3"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE	STOCK	TURKISH WALNUT
BARREL LENGTH	66-71-76 cm - 26-28-30"	CHOKES	MC-5 STD
SAFETY	MANUAL + AUTOMATIC	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3.000-3.200 kg - 6.6-7 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	114.8 cm - 45.20" WITH 71 CM - 28" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL	CALIBER OPTIONS	16-20-28-410



HX100 F12

FEATURES

GAUGE	12	TOP RIB	ADJUSTABLE 7 MM
CHAMBER	76 mm - 3"	SIDE RIB	VENTILATED
TRIGGER TYPE	SINGLE SELECTIVE	STOCK	TURKISH WALNUT
BARREL LENGTH	66-71-76 cm - 26-28-30"	CHOKES	MC-5 STD
SAFETY	MANUAL + AUTOMATIC	RECEIVER FINISH	NICKEL PLATED
UNLOADING	EJECTOR	WEIGHT	3.000-3.200 kg - 6.6-7 lb
RECEIVER	MONOBLOCK - FORGED STEEL	OVERALL LENGTH	114.8 cm - 45.20" WITH 71 CM - 28" BARREL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL	CALIBER OPTIONS	16-20-28-410



HX200 F12 SL

FEATURES

GAUGE	12
CHAMBER	76 mm - 3"
TRIGGER TYPE	SINGLE SELECTIVE
BARREL LENGTH	66-71-76 cm - 26-28-30"
SAFETY	MANUAL
UNLOADING	EJECTOR
RECEIVER	MONOBLOCK - FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

STOCK	TURKISH WALNUT
CHOKES	MC-5 EXT
RECEIVER FINISH	NICKEL PLATED
WEIGHT	3.000-3.200 kg - 6.6-7 lb
OVERALL LENGTH	115 cm - 45.30" WITH 71 CM - 28" BARREL
CALIBER OPTIONS	16-20-28-410



HX200 F20 CC

FEATURES

GAUGE	20
CHAMBER	76 mm - 3"
TRIGGER TYPE	SINGLE SELECTIVE TRIGGER
BARREL LENGTH	66-71-76 cm - 26-28-30"
SAFETY	MANUAL
UNLOADING	EJECTOR
RECEIVER	MONOBLOCK - FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

STOCK	TURKISH WALNUT - ENGLISH STOCK
CHOKES	MC-5 STD
RECEIVER FINISH	CASE COLORED
WEIGHT	2.750-2.950 kg - 6-6.4 lb
OVERALL LENGTH	115 cm - 44.90" WITH 71 CM - 28" BARREL
CALIBER OPTIONS	16-20-28-410



HX230 F12

FEATURES

GAUGE	12
CHAMBER	76 mm - 3"
TRIGGER TYPE	DOUBLE
BARREL LENGTH	47 cm - 18,5"
SAFETY	MANUAL
UNLOADING	EXTRACTOR
RECEIVER	MONOBLOCK - FORGED STEEL
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL

STOCK	TURKISH WALNUT
CHOKES	FIXED CYLINDER
RECEIVER FINISH	BLACK CHROME
WEIGHT	2.800-3.000 kg - 6.20-6.60 lb
OVERALL LENGTH	115 cm - 35.75" WITH 71 CM - 18.50" BARREL
CALIBER OPTIONS	16-20-28-410



HX500 L41W20

FEATURES

GAUGE	36 - .410
SYSTEM	LEVER ACTION
CAPACITY	4+1
BARREL LENGTH	51 cm - 20"
TOTAL LENGTH	97 cm - 38.20"
STOCK	TURKISH WALNUT
WEIGHT	3.600 - 3.700 kg
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL





HX500 L41W20 /002

FEATURES

GAUGE	36 - .410
SYSTEM	LEVER ACTION
CAPACITY	4+1
BARREL LENGTH	51 cm - 20"
TOTAL LENGTH	97 cm - 38.20"
STOCK	TURKISH WALNUT
WEIGHT	3.600 - 3.700 kg
BARREL	PROCESSED FROM FULL MATERIAL OF 4140 STEEL



HUGE  X



Huglu Mah. 43179. Sk. No:1/B Beysehir/KONYA/TÜRKIYE
Tepearası Mah. 83617. Sk. No:3 Derebucak/KONYA/TÜRKIYE



+90 332 516 1673



info@hugexarms.com
export@hugexarns.com